ANTANIL

ALUMINIUM HYDROXIDE BP + MAGNESIUM HYDROXIDE BP

Compositions:
Antanil Tablet: Each tablet contains Aluminium Hydroxide BP 250 mg and Magnesium Hydroxide BP 400 mg. Antanil Suspension: Each 5 ml contains Aluminium Hydroxide Gel BP equivalent to Aluminium hydroxide BP 200 mg and Magnesium Hydroxide BP 400 mg.

Pharmacology:
Antanil is a non systemic antacid preparation capable of neutralizing the excess acid and healing up the ulcers.

Dosage And Administration:
Tablet: After meal, 2 tablets 3-4 times daily by chewing or as advised by the physician. Suspension: After meal, 2 teaspoonful Antanil suspension 3-4 times daily or as advised by the physician.

Contraindications:
Antacid should not be used if the patient has the deficiency of phosphate and in case of patient with kidney failure.

Warning And Precaution:
Antacid containing Aluminium Hydroxide should not be taken concomitant with any form of Tetracycline & Digoxin as the absorption of latter may be affected.

Side Effects:
Antanil has little or no side effect. Diarrhoea or constipation may occur occasionally.

Use in Pregnancy and Lactation:
It is advised to avoid antacid preparations in the first trimester of pregnancy.

Drug Interaction:
Antacids reduce absorption of different groups of drugs such as- Antibacterials, Antiepileptics, Antifungals, Antimalarials, Antipsychotics.

Overdosage:
Data not found

Storage:
Store in cool and dry place, out of reach of children.

Packing:
Antanil Tablet: Box contains 10 x 20's chewing tablets in blister strip Antanil Suspension: Bottle contains 200 ml of suspension.

Manufactured By:
The IBN SINA Pharmaceutical Industry PLC.
Shafipur, Gazipur, Bangladesh.