

UNISALINE

SODIUM CHLORIDE; POTASSIUM CHLORIDE; TRISODIUM CITRATE DIHYDRATE &
GLUCOSE ANHYDROUS

Compositions:

Each sachet contains Sodium Chloride- 1.30 gm, Potassium Chloride - 0.75 gm, Sodium Citrate(As dehydrate)-1.45 gm, Anhydrous glucose – 6.75 gm,

Pharmacology:

Oral Rehydration Saline. Oral rehydration therapy is a treatment for the symptoms of dehydration.

Dosage And Administration:

The amount of water removed from the body, equivalent quantity of mixture should be given. After each loose motion... Children below 2 years : 50-100 ml (10-20 teaspoonful) of prepared Unisaline. Children between 2-10 years : 100-200 ml (20-40 teaspoonful) prepared Unisaline. Children above 10 years and adults : 200-400 ml (1-2 glass) prepared Unisaline.

Warning And Precaution:

ORS should not be mixed with hot water and the mixture should not be heated. The mixture must be discarded after 12 hours from preparation.

Side Effects:

No data is available

Drug Interaction:

No data is available

Overdosage:

No data is available

Storage:

Store in a cool and dry place, away from light. Keep out of the reach of children.

Packing:

Each box contains 20 sachets.

Manufactured By:

The IBN SINA Pharmaceutical Industry PLC.
Shafipur, Gazipur, Bangladesh.