

CROMOLIN

SODIUM CROMOGLYCAT BP

Compositions:

Cromolin Eye/Nasal Drops: Each ml contains Sodium Cromoglycate BP 40 mg.

Pharmacology:

Sodium Cromoglycate inhibits the degranulation of sensitized mast cells which occurs after exposure to specific antigens. Sodium Cromoglycate acts by inhibiting the release of histamine and SRS-A (slow-reacting substance of anaphylaxis) from the mast cell.

Dosage And Administration:

Usual recommended dose: 1-2 drops in each eye 4-6 times a day at regular intervals. But several studies proved that 4% sodium cromoglycate eye-drops twice daily is as effective as 2% sodium cromoglycate four times daily in the treatment of seasonal allergic conjunctivitis.

Contraindications:

It is contraindicated in those patients who have shown hypersensitivity to Sodium Cromoglycate or to any of the other ingredients of eye drops.

Warning And Precaution:

To prevent contaminating the dropper tip and solution, care should be taken not to touch the eyelids or surrounding areas with the dropper tip of the bottle. The recommended frequency of administration should not be exceeded. Do not wear contact lenses during treatment with sodium Cromoglycate.

Side Effects:

Blurred vision, burning or stinging, cold syndrome, dry eye, foreign body sensation, hyperemia, hypersensitivity, keratitis, lid edema.

Use in Pregnancy and Lactation:

Caution should be exercised when administered to Pregnant woman and lactating mother.

Drug Interaction:

No Information Provided.

Overdosage:

Overdose is unlikely. In the event of accidental ingestion, symptomatic treatment is recommended.

Storage:

Store in a cool and dry place, away from light. Keep out of reach of children.

Packing:

CromolinEye/Nasal Drops : 10 ml sterile solution in plastic dropper bottle.

Manufactured By:

The IBN SINA Pharmaceutical Industry PLC.

Shafipur, Gazipur, Bangladesh.