

# **JUNIVIT**

Multivitamin with Cod liver Oil

## **Compositions:**

Each 5 ml contains Vitamin A (as Retinol Propionate BP) 2000 IU, Vitamin 8, jas Thiamine Hydrochloride BP) 0.70 mg, Vitamin B2 (as Riboflavin Sodium Phosphate BP) 0.85 mg, Vitamin B6 (as Pyridoxine Hydrochloride BP) 0.35 mg, Vitamin C (as Ascorbic Acid BP & Sodium Ascorbate BP) 17.50 mg, Vitamin D (as Cholecalciferol BP) 200 IU, Vitamin E (as dl-oc-Tocopheryl Acetate USP) 1.50 mg, Nicotinamide BP 9.00 mg & Cod-liver Oil BP 100.00 mg.

## **Pharmacology:**

Junivit is multivitamin syrup with cod liver oil. It contains 8 vitamins and fatty acid (cod liver oil). This combination gives extra protection to children and gives some beneficial effect like-  
o Helps to stimulate appetite and improve digestion, Promotes healthy hair, skin & nails, o Helps in good vision, strong bones & healthy teeth, o Increases the resistance against coughs, cold, chest and bronchial troubles, o Helps to maintain healthy muscles and nervous system. o Helps to optimize brain development.

## **Dosage And Administration:**

Children 1 to 6 months : 2.5 ml daily (1/2 teaspoon) Children 6 months onwards : 10 ml daily (2 teaspoon) Adults : 10 ml daily (2 teaspoon) Junivit Syrup can be taken with water or milk

## **Contraindications:**

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

## **Warning And Precaution:**

This medicine may accumulate in the body, which may cause danger. So, over dose is prohibited or the physicians should adjust doses.

## **Side Effects:**

Generally well tolerated. However, a few allergic reactions may be seen.

## **Use in Pregnancy and Lactation:**

Should be taken on physician's advice.

## **Drug Interaction:**

Some drug interaction may occur with- Erythromycin, Conjugated estrogens, Sodium bicarbonate, Chloramphenicol etc.

## **Overdosage:**

In case of overdosage, initially epigastric pain, diarrhoea and vomiting can occur. Should seek emergency medical attention in case of overdose. Initially an emetic should be given and then gastric lavage and general supportive measures should be employed.

## **Storage:**

Store in a cool & dry place, protect from light.Keep out of the reach of children.

## **Packing:**

Each bottle contains 100ml syrup.

Manufactured By:  
The IBN SINA Pharmaceutical Industry PLC.  
Shafipur, Gazipur, Bangladesh.