

ANTANIL PLUS

ALUMINIUM HYDROXIDE BP + MAGNESIUM HYDROXIDE BP + SIMETHICONE USP

Compositions:

<p>Antanil Plus Tablet: Each tablet contains Aluminium Hydroxide BP 400 mg, Magnesium Hydroxide BP 400 mg & Simethicone USP 30 mg.</p> <p>Antanil Plus Suspension: Each 5 ml contains Aluminium Hydroxide BP 200 mg, Magnesium Hydroxide BP 400 mg & Simethicone USP 30 mg.</p>

Pharmacology:

<p>Antanil Plus is a non systemic antacid preparation capable of neutralizing the excess acid and healing up the ulcers.</p>

Indications:

<p>• Hyperacidity
• Gastritis, heart burn and dyspepsia.
• Gastric ulcer, duodenal ulcer, flatulence etc.</p>

Dosage And Administration:

<p>Tablet: 1-2 tablets to be chewable half to 1 hour after or in between meals and at bedtime or as directed by the physicians.
Suspension: 2-4 tea spoonful suspension half to 1 hour after or in between meals and at bedtime or as directed by the physicians.</p>

Contraindications:

<p>Antacid should not be used if the patient has the deficiency of phosphate and in case of patient with kidney failure.</p>

Warning And Precaution:

<p>Antacid containing Aluminium Hydroxide should not be taken concomitant with any form of Tetracycline & Digoxin as the absorption of latter may be affected.</p>

Side Effects:

<p>Antanil Plus has little or no side effect. Diarrhoea or constipation may occur occasionally.</p>

Use in Pregnancy and Lactation:

<p>It is advised to avoid antacid preparations in the first trimester of pregnancy.</p>

Drug Interaction:

<p>All antacids may increase or decrease the rate and/or extent of absorption of concomitantly administered oral drugs. Antacids decrease the bioavailability of theophylline, tetracycline, quinolone antibiotics, isoniazide, ketoconazole, ethambutol, some antimuscarinic drugs, benzodiazepines, phenothiazines, ranitidine, indomethacine, nitrofurantoin, fluoride, phosphate, propranolol, atenolol, digoxins, vitamins etc. Antacids increase the bioavailability of some drugs; e.g. sulphonamides, levodopa, valproic acid, enteric coated aspirin etc.</p>

Overdosage:

<p>Data not found</p>

Storage:

<p>Store in cool and dry place, out of reach of children.</p>

Packing:

<p>Antanil Plus Tablet: Box contains 10 x 10's chewing tablets in blister strip
Antanil

Plus Suspension: Bottle contains 200 ml of suspension.</p>

Manufactured By:
The IBN SINA Pharmaceutical Industry PLC.
Shafipur, Gazipur, Bangladesh.